

MATERIAL SAFETY DATA SHEET

Page 1 of 3

Johnsonite, 16910 Munn Road, Chagrin Falls, Ohio 44023

24-Hour Emergency Telephone: (800) 661-2162

SECTION 1. PRODUCT IDENTIFICATION

PRODUCT NAME: JOHNSONITE 965

CHEMICAL FAMILY: Water Base Adhesive

SECTION 2. HAZARDOUS INGREDIENTS AND EXPOSURE LIMITS

| <u>Chemical Name</u> | <u>CAS Number</u> | <u>% by Weight</u> | <u>ACGIH TLV</u> | <u>OSHA PEL</u> |
|----------------------|-------------------|--------------------|------------------|-----------------|
| None | | | | |

SECTION 3. HAZARDS IDENTIFICATION

PRIMARY ROUTES OF ENTRY: Eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known.

POTENTIAL HEALTH EFFECTS:

EYE CONTACT: May cause slight irritation.

SKIN CONTACT: May cause slight irritation

INGESTION: May cause gastric distress.

INHALATION: May cause slight respiratory irritation

CHRONIC: None known.

CARCINOGENICITY: This product contains no ingredient above the OSHA minimum reporting threshold listed by IARC, NTP, or OSHA.

SECTION 4. FIRST AID MEASURES

EYE CONTACT: Flush with water for 15 minutes. Contact a physician if irritation occurs.

SKIN CONTACT: Wash with soap and water.

INGESTION: Do not induce vomiting. Contact a physician.

INHALATION: Remove to fresh air.

SECTION 5. FIRE-FIGHTING MEASURES

FLASH POINT (°)F: None.

LOWER FLAMMABLE LIMIT: None.

UPPER FLAMMABLE LIMIT: None.

FIRE-FIGHTING INSTRUCTIONS: Use protective clothing and self-contained breathing apparatus.

EXTINGUISHING MEDIA: Water fog, CO₂, dry chemical, and chemical foam.

DECOMPOSITION PRODUCTS: Dried material may produce CO, CO₂.

MATERIAL SAFETY DATA SHEET

Page 2 of 3

SECTION 6. ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Shovel or scoop spill material into secure container(s) for reuse or disposal. Dispense sand, sawdust, or vermiculite and absorb spill residue. Collect and place in waste container. Wash area thoroughly with water.

SECTION 7. HANDLING AND STORAGE

HANDLING: Use good hygienic practices. Wash hands before eating, using washroom or smoking. Keep out of the reach of children.

STORAGE: Store above 40° F. Freeze-thaw stable up to five cycles at 20° F.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT:

EYE/FACE PROTECTION: Safety glasses with side shields or chemical splash goggles.

SKIN PROTECTION: Leather gloves and protective clothing as needed to avoid contact.

RESPIRATORY PROTECTION: Not normally required with good ventilation.

ENGINEERING CONTROLS: Normal room ventilation. Open doors, windows, and vents, use floor and ceiling fans to ventilate area during application.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT (°F): 212

SPECIFIC GRAVITY (WATER = 1): 1.19

VAPOR PRESSURE: Same as water.

VAPOR DENSITY(air=1): Same as water.

% VOLATILE BY WEIGHT: 27

pH: 8.25

APPEARANCE AND ODOR: White colored paste with little or no odor.

GRAMS VOLATILE ORGANIC COMPOUNDS/LITER OF MATERIAL: < 10 (Calculated)

GRAMS VOLATILE ORGANIC COMPOUNDS/LITER OF MATERIAL: 0 (As Solvent)

SECTION 10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable.

POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: None known.

HAZARDOUS DECOMPOSITION PRODUCTS: None.

SECTION 11. TOXICOLOGICAL INFORMATION

No information available

