Johnsonite
A Tarkett Company
THE ULTIMATE FLOORING EXPERIENCE

Section 02.42.00

REMOVAL AND SALVAGE OF CONSTRUCTION MATERIALS

USA

This document is intended as a suggested guide for creating, modifying, or editing your CSI Formatted 3-Part Architectural Guide Specifications.

First,	Ensure that you have the latest version for this specification.
Second,	As the specifier you are responsible for the accuracy of all project specifications, including any information or specifications found in this document that you may use.
Third,	Johnsonite will not be held liable for any damages arising out of the use of any information or specifications found in this document.

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.

1.2 SUMMARY

A. Section Includes:
   1. Procedures for reclamation of installation waste of Johnsonite resilient sheet and tile flooring

B. Related Sections:

SPECIFIER NOTE: Retain Sections in subparagraphs below that contain requirements contractor might expect to find in this Section but are specified in other Sections.

1. Division 01 Section "Sustainable Design Requirements" for additional LEED requirements.
2. Division 01.35.13.00 Special Project Procedures "Johnsonite ReStart"
3. Division 09.65.13.13: Section "Resilient Base".
4. Division 09.65.13.23: Section "Resilient Stair Tread and Risers".
5. Division 09.65.13.33: Section "Resilient Accessories and Moldings".
6. Division 09.65.13.36: Section "Resilient Transitions".
7. Division 09.65.16: Section "Resilient Sheet Flooring"
8. Division 09.65.16.13: Section "Linoleum Flooring" for linoleum floor coverings.
9. Division 09.65.19: Section "Resilient Tile Flooring" for resilient floor tile.
10. Division 09.65.33: Section "Static-Control Resilient Flooring" for resilient floor coverings designed to control electrostatic discharge.
11. Division 09.65.66.00: Section "Resilient Athletic Flooring" for resilient floor coverings for use in athletic-activity or support areas.
12. Division 10.26.13: Section "Specialty Wall Moulding".
13. Division 12.48.13.13: Section "Entrance Floor Mats".

1.3 SUBMITTALS

A. Proposed packing and transportation measures.

B. Reclamation agency records indicating receipt and disposition of Johnsonite Resilient installation scrap.

1.4 QUALITY ASSURANCE

A. Reclamation Agency: Designate the Johnsonite Restart Reclamation Program

B. Regulatory Requirements: Comply with governing regulations. Comply with hauling and disposal regulations of authorities having jurisdiction.

SPECIFIER NOTE: .

C. Certification: Johnsonite shall certify in writing that the Johnsonite resilient flooring installation waste was removed and recycled in accordance with the Johnsonite Restart Reclamation Program.

1.5 PROJECT CONDITIONS

A. Environmental Requirements: Obtain approval of Owner {Facilities Manager, Construction Administrator} before performing operations which generate contaminants.

PART 2 - PRODUCTS

2.1 RESILIENT SHEET and TILE FLOORING

Manufacture:

Johnsonite, Inc.	Phone	(800) 899-8916
16910 Munn Road		(440) 543-8916
Chagrin Falls, Ohio 44023	Tech:	Ext 9297
Web: www.johnsonite.com	Samples:	Ext 9299
E-mail: info@johnsonite.com	Fax:	(440) 543-8920

A. Johnsonite Reuse and Reclamation Program

PART 3 - EXECUTION

3.1 EXAMINATION

A. All material must be free of adhesive and other contaminants (clean, uninstalled remnants or remaining full pieces).

B. The returned materials are to contain ONLY flooring and/or wall base (no other job-site trash) or Program Certificate for the return will not be awarded.

3.2 PREPARATION

A. Order a ReStart kit (Item #095100-913) and obtain a Return Authorization from Johnsonite by calling the Johnsonite Returns Coordinator at 1.800.899.8916, ext. 9223. Return Authorization forms and a Return Kit will be sent to you.
   1. The kit will include the following:
      a. 4 sets of 5 labels, color coded by product category
      b. 4 bags
      c. 4 straps
      d. 1 instruction sheet

2. Collect all appropriate Johnsonite Resilient Installation waste. The products that are a part of this program are: Johnsonite Rubber Flooring, Rubber and Vinyl Stair Treads, Wall Base, Accessories, Homogeneous Sheet/Tile, Heterogeneous Sheet/Tile, and Linoleum flooring.
   The uninstalled job site scrap materials may be returned for reuse or repurpose under the following guidelines:
   a. Job scrap materials containing competitors' products will not be accepted.
   b. All material must be free of adhesive and other contaminants (clean, uninstalled remnants or remaining full pieces).
   c. Material must be separated by category into appropriate container [bag].

3.3 PROCESS

A. Separate according to the following categories and pack into supplied bags and label according to product type, as listed below:
   1. Rubber Tile and Stair Treads – Blue Contents Label
   2. Tiles and Treads <u>WITHOUT</u> Visually Impaired Striping and <u>WITHOUT</u> Cork can be mixed together in the same bag
   3. Treads with Visually Impaired Striping (with or without Cork) must be packaged separately.
   4. Tiles with Cork must be packaged separately.
   5. All colors can be mixed together in the same bag
   6. Full pieces may be returned with remnants
   7. Check off what is in the bag on the Contents Label and apply to bag.

B. Wall Base, Vinyl Stair Treads, Accessories (ex., Transitions) - Purple Contents Label
   a. All can be mixed together in the same bag
   b. All colors can be mixed together in the same bag
   c. Full pieces may be returned with remnants
   d. Check off what is in the bag on the Contents Label and apply to bag.

C. Homogeneous and Heterogeneous Sheet & Tile & Luxury Vinyl Tile (LVT) – Pink Contents Label
   - **Homogeneous and Heterogeneous products can not be mixed in the same bag**
   1. All <u>Homogeneous</u> products can be mixed together (Optima, Granit, Granit Acoustiflor, Granit SD, Toro SC, Granit Multisafe, Melodia, Aria, and Contract Plus)
      a. All colors can be mixed together in the same bag
      b. Full pieces may be returned with remnants
      c. Check off what is in the bag on the Contents Label and apply to bag
   2. All <u>Heterogeneous</u> products can be mixed together (Acczent Wood, Acczent Steel, Training, ID Premier, and Space)
      a. All colors can be mixed together in the same bag
      b. Full pieces may be returned with remnants

c. Check off what is in the bag on the Contents Label and apply to bag

3. Linoleum Sheet & Tile – Green Contents Label
   a. All colors can be mixed together in the same bag
   b. Full pieces may be returned with remnants
   c. Check off what is in the bag on the Contents Label and apply to bag

3.4 SHIPMENT AND DISPOSAL OF PRODUCT

A. Forward required paperwork with shipment by attaching a copy of the Return Authorization paperwork to the bag in a prominent position, along with the "Contents Sticker" with the contents contained checked off.

B. Mark all containers as detailed in the instructions included in the ReStart kit.

C. Secure material for shipment to skid using yellow straps enclosed in ReStart kit.

D. Johnsonite will not be arranging for shipment or taking materials back on customer delivery trucks. Please send prepaid to:

Johnsonite Distribution Center
16077 Industrial Parkway
Middlefield, OH 44062
Attention: ReStart Program – Return Authorization #_____

END OF SECTION 02.42.00