

Stairwell Design 152

154 Rubber Stair Treads
with Integrated Riser

Rubber Stair Treads 155

Striping Solutions for
the Visually Impaired 156

Vinyl Stair Treads 157

158 Stairwell Accessories




Stairwell Management. Step it up.



Proper stairwell management helps minimize risk by balancing safety and performance. Our flooring enhances the flow of the space, allowing people to move safely and comfortably through the ups and downs of the day.




Stairwell Design. Make your move.




While we have no doubt you're on your way to that corner office, we want to make sure you get there in one piece. Without tripping or slipping up or down the stairs. We know safety is a huge concern. Especially considering that slip/falls account for many disabling workplace injuries. So we created a complete and integrated stairwell management system. Let Johnsonite® keep your stair travel and your bottom line secure. Floor after floor.



RUBBER TREAD WITH INTEGRATED RISER




Raised Round Tread/Riser (RTR-RD)
 A B ▲ ★
 Z ✱




Raised Square Tread/Riser (RTR-SQ)
 A B ▲ ✱
 Z ✱




Hammered Tread/Riser (HTR)
 A B M ▲
 Z ✱
 *Hammered Tread also available in 14" depth.




Bamboo Tread/Riser (BMTR)
 A B ▲ ✱
 X ✱



Cubis Tread/Riser (CUTR)
 A B ▲ ★ ✱
 X ✱



FastLane® Tread/Riser (CFLTR)
 A B ▲ ★ ✱
 X ✱



Diamond Tread/Riser (CNTR)
 A B ▲ ✱
 X ✱




Rice Paper Tread/Riser (FRPTR)
 A B ▲ ✱
 X ✱



RUBBER TREAD WITH INTEGRATED RISER FOR THE VISUALLY IMPAIRED





Raised Round Tread/Riser Visually Impaired (VIRTR-Rd)
 A B ▲ ★ ✱
 Z ✱




Raised Square Tread/Riser Visually Impaired (VIRTR-SQ)
 A B ▲ ✱
 Z ✱




Hammered Tread/Riser Visually Impaired (VIHTR)
 A B M ▲ ✱
 Z ✱




Bamboo Tread/Riser Visually Impaired (VIBMTR)
 A B ▲ ✱
 X ✱




Cubis Tread/Riser Visually Impaired (VICUTR)
 A B ▲ ★ ✱
 X ✱




FastLane Tread/Riser Visually Impaired (VICFLTR)
 A B ▲ ★ ✱
 X ✱




Diamond Tread/Riser Visually Impaired (VICNTR)
 A B ▲ ✱
 X ✱



Rice Paper Tread/Riser Visually Impaired (VIFRPTR)
 A B ▲ ✱
 X ✱





Rubber Stair Treads

FloorScore® certified and meets CA 01350

A part of ReStart® program

sizes/available lengths

X = 3', 3.5', 4', 4.5', 5', 6'

Y = 3', 3.5', 4', 4.5', 5', 6', 7', 8'

Z = 3', 3.5', 4', 4.5', 5', 6', 7', 8', 9'

* = Hinged nose for angled steps.

textures pg. 20

adhesives pg. 190

Color Palette Availability

A = Color Palette A. Reference color guide in back.

B = Color Palette B. Reference color guide in back.

■ = MicroTone™ Speckled colorways. See page 38 for details.

M = Can be ordered in Metallurgy™ colorways. See page 34 for details.

▲ = Can be special ordered in Prima® Marbleized™ and Prima Olio® colorways. Visit tarketna.com. See page 28 for details.

★ = Can be special ordered in Speckled colorways. See page 38 for details.


⊕ = See chart on page 156 for contrasting color combinations.

STANDARD RUBBER STAIR TREADS





Raised Round Tread (RH-RD)

A B ▲ ★
Y *





Raised Square Tread (RH-SQ)

A B ■ ▲
X *





Hammered Tread (HMT) 12 1/4" deep (HMTD) 14" deep

A B ■ M ▲
Z *





Service Weight Smooth Tread (S)

A B X




Heavy Duty Diamond Tread (CN)

A B ■ ▲
X *




Rice Paper Tread (FRPT)

A B ■ ▲ X



Service Weight Safe-T-Grip Tread (SA)

A B X



STANDARD RUBBER STAIR TREADS FOR THE VISUALLY IMPAIRED



Raised Round Tread without Riser Visually Impaired (VIRH-RD)

A B ▲ ★ ⊕
Y *




Raised Square Tread without Riser Visually Impaired (VIRH-SQ)

A B ■ ▲ ⊕
X *




Hammered Tread without Riser Visually Impaired (VIHMT) 12 1/4" deep (VIHMTD) 14" deep

A B ■ M ▲ ⊕ Z *



Service Weight Smooth Tread Visually Impaired (VIS)

A B ⊕ X



Heavy Duty Diamond Tread Visually Impaired (VICN)

A B ■ ▲ ⊕ X *




Rice Paper Tread Visually Impaired (VIFRPT)

A B ■ ▲ ⊕ X



Striping Solutions for the Visually Impaired. Stay safe.

Protecting people with safe, slip-resistant floors minimizes workplace injuries. And that's good for everyone involved. Our efforts in floor safety have evolved into the industry's largest selection of solutions for the Visually Impaired. These include stair treads and nosings in many colors, along with Grit Tape and contrasting rubber inserts in solid colors, Prima® Marbleized™ and photoluminescent options.



Color Palette Availability

- A = Color Palette A.
- B = Color Palette B.
- ▲ = Can be specially ordered in Prima® Marbleized™ and Prima Olio® colorways. Visit tarkettna.com. See page 28 for details. Minimums may apply.

VISUALLY IMPAIRED COLOR SOLUTIONS

GRIT TAPE COLOR

	Black
	Brown
	Grey
	Tan
	Yellow
	White

Black: Grit Tape contrasts with colors 01, 05, 12, 21, 24, 27, 28, 29, 31, 32, 38, 41, 48, 55, 58, 59, 62, 71, 75, 84, 106, 121, 129, 135, 138, 139, 150, 151, 163, 165, 166, 190, 192, 280, 281, 282, 289, 291, 293, 468, 470, 472, 476, 590, 591, 592, 593, AGM, BRL, BRM, CGL, CGM, CPM, WGL, WGM, LA2, LA3, LA5, LA6, LA8, LB4, LB6, LC8, LC1, LC2, LC3, LC4, LC5, LC6, LC7, LD1, LD2, LD4, LD5, LD7, LE1, LE3, LE7, LE8, LE9, LF1, LF3, LG1, LG3, LG8, LH3, LH7, LJ1, LJ2, LJ3, LJ5, LJ7, LJ8, LJ9, LK1, TB5, TB6

Brown: 09, 11, 19, 22, 33, 34, 42, 45, 49, 60, 68, 80, 111, 112, 130, 146, 285, 286, 469, 473, 474, 475, LA1, LA9, LB2, LB3, LC9, LD8, LD9, LE2, LE4, LE5, LE8, LE9, LF1, LF3, LF4, LG4, LG7, LG9, LH2, LH4

Grey: 15, 18, 20, 40, 72, 73, 85, 86, 92, 148, 162, 168, 294, 471, CGD, LB5, LB8, LB9, LD3, LE6, LF5, LG2, LG6, LH7, LH9, TB6, WGD







Tan: 44, 47, 63, 76, 101, 113, 132, 149, 167, 283, 284, 287, BRD, CPD, LA7, LB1, LD6

Yellow: 70, LB7, LF7, LJ4

White Grit Tape available by special order

Photoluminescent Tape available

SOLID COLOR RUBBER INSERT

	40 Black
	47 Brown
	55 Silver Grey
	49 Beige
	75 Lemon
	85 Burgundy

40 Black: Insert contrasts with colors 01, 05, 12, 21, 24, 27, 28, 29, 31, 32, 38, 41, 48, 55, 58, 59, 62, 71, 75, 84, 106, 121, 129, 134, 135, 138, 139, 150, 151, 163, 165, 166, 190, 192, 280, 281, 282, 289, 291, 293, 468, 470, 472, 476, 486, 590, 591, 592, 593, AGM, BRL, BRM, CGL, CGM, CPM, WGL, WGM, LA2, LA3, LA5, LA6, LA8, LB4, LB6, LC8, LC1, LC2, LC3, LC4, LC5, LC6, LC7, LD1, LD2, LD4, LD5, LD7, LE1, LE3, LE7, LE8, LE9, LF1, LF3, LF4, LD5, LD7, LE1, LE3, LE7, LE8, LE9, LF1, LF3, LF4, LG1, LG3, LG8, LH3, LH7, LJ1, LJ2, LJ3, LJ5, LJ7, LJ8, LJ9, LK1, TB5, TB6

47 Brown: 09, 11, 19, 22, 33, 34, 42, 45, 49, 68, 80, 111, 112, 130, 146, 285, 286, 469, 473, 474, 475, LA1, LA9, LB2, LB3, LC9, LD8, LD9, LE2, LE4, LE5, LE8, LE9, LF1, LF3, LF4, LG4, LG7, LG9, LH2, LH4

55 Silver Grey: 15, 18, 20, 40, 72, 73, 85, 86, 92, 148, 162, 168, 294, 471, CGD, LB5, LB8, LB9, LD3, LE6, LF5, LG2, LG6, LH7, LH9, TB6, WGD

49 Beige: 44, 47, 63, 76, 101, 113, 132, 149, 167, 283, 284, 287, BRD, CPD, LA7, LB1, LD6

75 Lemon: 70, LB7, LF7, LJ4

85 Burgundy Insert contrasts with color 60

RUBBER LANDING TILE FOR USE WITH VINYL AND RUBBER STAIR TREADS

All tiles available in 24" x 24". Smooth is also available in 12" x 12".



A B ▲ Smooth (C)



A B Diamond (CN)

All tile textures can be used as landing tile.



Vinyl Stair Treads. Ace affordability.

For spaces where safety is a factor, but not the only factor, we developed a more affordable solution: vinyl stair treads. These cost-effective treads are also available in a range of colors with contrasting inserts and Grit Tape. These options also satisfy California Title 24 requirements, ADA Recommendations for the Visually Impaired, and commercial requirements for slip resistance.



Vinyl Stair Treads

TVOC $\leq 100 \mu\text{g}/\text{m}^3$

FloorScore® certified and meets CA 01350

Phthalate free, except for recycled materials

Recycled Content

Pre-consumer 14%

A part of ReStart® program

Color Palette Availability

A = Color Palette A.

sizes/available lengths

W = 3', 3.5', 4', 6', 8', 12'

adhesives pg. 190

VISUALLY IMPAIRED COLOR SOLUTIONS

GRIT TAPE COLOR



Black Grit Tape contrasts with colors 01, 21, 24, 28, 29, 31, 32, 38, 48, 55, 58, 71, 129, 150

Brown Grit Tape contrasts with colors 09, 11, 22, 34, 42, 45, 49, 80, 130

Grey Grit Tape contrasts with colors 18, 20, 40, 85, 86, 92


Tan Grit Tape contrasts with colors 44, 47, 63, 76, 132, 167, 283

Yellow Grit Tape available by special order

White Grit Tape available by special order

Photoluminescent Tape Insert available

CO-EXTRUDED VINYL INSERT



40 Black Insert contrasts with colors 01, 21, 24, 28, 29, 31, 32, 38, 48, 55, 58, 71, 129, 150


47 Brown Insert contrasts with colors 09, 11, 22, 34, 42, 45, 49, 80, 130

49 Beige Insert contrasts with colors 44, 47, 63, 76, 132, 167, 283

55 Silver Grey Insert contrasts with colors 18, 20, 40, 85, 86, 92



Photoluminescent Co-extruded insert available by special order

VINYL STAIR TREADS





Heavy Duty Square Nose (HD)

A **W**




Safe-T-Rib® Square Nose (HT)

A **W**




Safe-T-Rib Round Nose (HT)

A **W**




Service Weight Square Nose (ST)

A **W**



Service Weight Round Nose (ST)

A **W**




VINYL STAIR TREADS FOR THE VISUALLY IMPAIRED



Heavy Duty Square Nose Visually Impaired (VIHD)

A **X** **W**



Safe-T-Rib Square Nose Visually Impaired (VIHT)

A **+** **W**



Safe-T-Rib Round Nose Visually Impaired (VIHT)

A **+** **W**



Safe-T-Grip Square Nose Visually Impaired (VIVG)

A **+** **W**

Stairwell Accessories



Flexible Vinyl Stair Nosings

TVOC ≤ 100 µg/m³

FloorScore® certified and meets CA 01350*

Phthalate free, except for recycled materials

*Except color palette D

Recycled Content

Pre-consumer 14%

A part of ReStart® program

Color Palette Availability

- A** = Color Palette A.
Reference color guide in back.
- B** = Color Palette B.
Reference color guide in back.
- D** = Color Palette D.
Reference color guide in back.
- ▲** = Can be specially ordered in Speckled, Prima® Marbleized™ and Prima Olio® colorways. Visit tarkettna.com. Minimums may apply.
- *** = Also available in 50 White.
- ✓** = Available without contrasting strip.
- +** = See chart on page 157 for contrasting Grit Tape colors.
- ✕** = See chart on page 157 for contrasting solid insert colors.

adhesives pg. 190

RUBBER STRINGERS AND RISERS

ITEM	SIZE	GAUGE
Stringers Solid Color	10" x 6'	.080"
Stringers Marbled	10" x 6'	1/8"
Risers	6" x 4'	1/8"
	6" x 100'***	1/8"
	7" x 4'	1/8"
	7" x 5'	1/8"
	7" x 6'	1/8"
	7" x 50'***	1/8"



Stringers and risers are available in Color Palettes A and B. Speckled, Prima® Marbled™ and Olio® are available by special order.

***Not available in Speckled or Marbledized.

VINYL STRINGERS AND RISERS

ITEM	SIZE	GAUGE
Stringers	10" x 50'	.080"
Risers	6" x 4'	.080"
	6" x 120'	.080"
	7" x 4'	.080"
	7" x 50'	.080"



Vinyl stringers and risers are available to coordinate with vinyl or rubber treads in your choice of more than 30 colors including ColorMatch®.

TACTILE WARNING SURFACE

Reduce potential accidents by alerting the Visually Impaired that they're approaching hazardous areas. Detectable tactile warning surface meets ANSI A117.1-1986 design requirements and is available in more than 30 attractive solid colors. Permanently co-extruded contrasting striping can also be ordered.

FLEXIBLE VINYL STAIR NOSINGS

Take steps to protect flooring materials from wear in stair and landing applications. Choose from 16 popular nosing profiles in the ColorMatch system or we can custom-match colors for your project. Slim line stair nosings are also available in metallic colors. To meet stringent accessibility requirements, choose profiles with contrasting color inserts for the Visually Impaired.

FLEXIBLE VINYL STAIR NOSINGS FOR THE VISUALLY IMPAIRED

<p>VIRC-XX-B</p> <p>1/8" material w/lip or 3/16" w/o lip. 2" co-extruded visually impaired strip.</p> <p>A * ✓ ✗</p>	
<p>VIRC-XX-B2</p> <p>1/8" material. 2" visually impaired Grit Tape insert.</p> <p>A +</p>	
<p>VITSN-XX</p> <p>Top set with 2" co-extruded visually impaired strip.</p> <p>A ✗</p>	
<p>VIRC-XX-A</p> <p>1/4" or 5/16" material. 2" co-extruded visually impaired strip.</p> <p>A * ✓ ✗</p>	
<p>VIVCD-XX</p> <p>1/4" or 5/16" material for step and riser. 2" co-extruded visually impaired strip.</p> <p>A * ✓ ✗</p>	

SLIM LINE STAIR NOSINGS

<p>SLN-XX-A</p> <p>1/4" material on step to 1/4" material on riser.</p> <p>A D</p>	
<p>SLN-XX-B</p> <p>7/32" material on step to 1/4" material on riser.</p> <p>A D</p>	
<p>SLN-XX-C</p> <p>3/8" material on step to 3/8" material on riser.</p> <p>A D</p>	

SOLID COLOR FLEXIBLE VINYL STAIR NOSINGS

<p>VDL-XX-RD</p> <p>1/8" material.</p> <p>A</p>	
<p>VDL-XX-SQ</p> <p>1/8" material.</p> <p>A</p>	
<p>RCN-XX-B</p> <p>1/8" material w/lip or 3/16" w/o lip.</p> <p>A</p>	
<p>DTN-XX</p> <p>Top set stair nosing for residential use.</p> <p>A</p>	
<p>RCN-XX-A</p> <p>1/4" or 5/16" material.</p> <p>A *</p>	
<p>VCD-XX</p> <p>1/4" or 5/16" material on step and riser.</p> <p>A</p>	
<p>SVCD-XX-A</p> <p>3/8" material on step and riser.</p> <p>A</p>	
<p>SRCN-XX-C</p> <p>3/8" material on step.</p> <p>A</p>	

For representation of actual size, enlarge CAD drawing 333% on a photocopier.